


IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A thermoplastic resin composition comprising:


(A) 0.5 to 99.9 mass % of an aromatic polycarbonate-polyorganosiloxane copolymer having a terminal group represented by formula (1):



wherein R<sup>1</sup> represents an alkyl group having 1 to 35 carbon atoms and a is an integer of 0 to 5;

wherein the content of a ~~polyorganosiloxane~~ polyorganosiloxane in the aromatic polycarbonate-polyorganosiloxane copolymer of component (A) is ~~from more than 2 to~~ 0.1 to 4 mass % based on the whole thermoplastic resin composition including component ~~(A)~~ (A);

(B) 0 to 99.5 mass % of an aromatic polycarbonate having a terminal group represented by formula (2):



wherein R<sup>2</sup> represents an alkyl group ~~having 10~~ having 1 to 35 carbon atoms and b is ~~an integer of 1 to 5~~ an integer of 0 to 5;

(C) 0.1 to 5 mass % of fine silica having an average particle diameter of 50 nm or less, wherein said fine silica is dispersed in a solvent; and

(D) 0 to 2 mass % of a polytetrafluoroethylene.

Claim 2 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said aromatic polycarbonate-polyorganosiloxane copolymer of component (A) has a polyorganosiloxane moiety having a polydimethylsiloxane skeleton.


Claims 3-5 (Cancelled)

Claim 6 (Previously Presented): A molded article comprising a thermoplastic resin composition as claimed in claim 1.

Claim 7 (Currently Amended): A thermoplastic resin produced by ~~the~~ a process comprising:

compounding


A) 0.5 to 99.9 mass % of ~~said an~~ aromatic polycarbonate-polyorganosiloxane copolymer having a terminal group represented by formula (1);



wherein R<sup>1</sup> represents an alkyl group having 1 to 35 carbon atoms and a is an integer of 0 to 5;

wherein the content of a polyorganosiloxane in the aromatic polycarbonate-polyorganosiloxane copolymer of component (A) is ~~from more than 2~~ from 0.1 to 4 mass % based on the whole thermoplastic resin composition including component ~~(A)~~ (A);

B) 0 to 99.5 mass % of ~~said an~~ aromatic polycarbonate having a terminal group represented by formula (2);



wherein  $R^2$  represents an alkyl group having 1 to 35 carbon atoms and  $b$  is an integer of 0 to 5;

C) 0.1 to 5 mass % of ~~said a~~ fine silica having an average particle diameter of 50 nm or less, wherein said fine silica is dispersed in a solvent; and

D) 0 to 2 mass % of ~~said a~~ polytetrafluoroethylene  
to obtain said thermoplastic resin composition.

Claim 8 (Currently Amended): A method of producing a thermoplastic resin composition, said method comprising:

compounding

A) 0.5 to 99.9 mass % of ~~said an~~ aromatic polycarbonate-polyorganosiloxane copolymer having a terminal group represented by formula (1);

wherein the content of a polyorganosiloxane in the aromatic polycarbonate-polyorganosiloxane copolymer of component (A) is ~~from more than 2~~ from 0.1 to 4 mass % based on the whole thermoplastic resin composition including component ~~(A)~~ (A);

B) 0 to 99.5 mass % of ~~said an~~ aromatic polycarbonate having a terminal group represented by formula (2);

C) 0.1 to 5 mass % of ~~said a~~ fine silica having an average particle diameter of 50 nm or less, wherein said fine silica is dispersed in a solvent;

D) 0 to 2 mass % of ~~said a~~ polytetrafluoroethylene  
to obtain said thermoplastic resin composition.

Claim 9 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica has an average particle diameter of 5 to 40 nm.

Claim 10 (Previously Presented): The thermoplastic resin composition as claimed in claim 9, wherein said fine silica is present in an amount that ranges from 0.1 to 3 mass %.

Claim 11 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica is present in an amount that ranges from 0.1 to 3 mass %.

Claim 12 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica has an average particle diameter of 17 nm.

Claim 13 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica has an average particle diameter of 20 nm.

Claim 14 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica has an average particle diameter of 17 nm and is present in an amount of 0.5 mass%.

Claim 15 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica has an average particle diameter of 20 nm and is present in an amount of 0.5 mass%.

Claim 16 (Previously Presented): The thermoplastic resin composition as claimed in claim 1, wherein said fine silica has an average particle diameter of 20 nm and is present in an amount of 1.0 mass%.